

### Clay Mask with Proteins - 1058

Ingredient	Function	Percent	Wgt (g)	Wgt (oz)	Vol (tsp.)
<b>Phase A</b>					
Jojoba Oil, Organic (Simmondsia Chinensis [Jojoba] seed oil)		2.00	2.00	0.07	0.40
Polysorbate 80 (polysorbate 80)		3.00	3.00	0.11	0.60
<b>Phase B</b>					
Distilled Water (aqua)		67.50	67.50	2.38	13.50
Xanthan Gum, Prehydrated (xanthan gum)		0.50	0.50	0.02	0.10
Sodium PCA (sodium L-pyrroglutamate)		2.00	2.00	0.07	0.40
<b>Phase C</b>					
Kaolin (kaolin)		18.00	18.00	0.63	3.60
<b>Phase D</b>					
Jojoba Protein HP, Hydrolyzed (hydrolyzed jojoba protein)		3.00	3.00	0.11	0.60
Wheat Protein, Hydrolyzed (hydrolyzed wheat protein)		3.00	3.00	0.11	0.60
Benzylalcohol-DHA (benzylalcohol, dehydroacetic acid)		0.80	0.80	0.03	0.16
Fragrance Coral Reef		0.20	0.20	0.01	0.04

#### Method

No heating required. Mix phase A. Add phase B into a separate jar and stir with high speed to dissolve the gum. Add phase C to phase B and stir well. Then add phase A to phase B/C and stir well. Finally add phase D and stir again well. The thickness can be adjusted with more kaolin or diluted with distilled water.

#### Properties

Kaolin clay draws impurities from within and the proteins and jojoba oil soften the skin. Use weekly and leave on skin for about 10 minutes or until the clay is dry. Then wash off with a damp wash cloth.