

1064 - Pressed Powder Foundation with Light Coverage

Weight: 50.00g

Ingredient	INCI	Function	Percent	Wgt (g)	Wgt (oz)
Phase A					
Pigment Blend Honey Beige	titanium dioxide, CI 77492 (iron oxides)	Colorant	5.00	2.50	0.09
Titanium Dioxide	titanium dioxide (CI 77891)	Colorant	3.00	1.50	0.05
Rice Starch	rice starch	Texturizer	52.40	26.20	0.92
Magnesium Stearate	magnesium stearate	Texturizer	12.00	6.00	0.21
Natural Ferulic Acid	ferulic acid	Anti-oxidant	0.10	0.05	0.00
Zinc Oxide, USP	zinc oxide	Colorant	2.00	1.00	0.04
Silica	silica	Texturizer	2.00	1.00	0.04
Phase B					
Dimethicone Fluid	dimethicone	Emollient	3.00	1.50	0.05
Triglyceride	caprylic/capric triglyceride	Emollient	3.00	1.50	0.05
Grapeseed Oil	vitus vinifera (grape) seed oil	Emollient	3.00	1.50	0.05
Vitamin E Tocopherol	tocopherol	Anti-oxidant	0.50	0.25	0.01
Phase C					
Mica Spheres	mica (CI 77019), silica	Texturizer	14.00	7.00	0.25

Procedure

Phase A: Add pigment blend, titanium dioxide and zinc oxide into a mortar and blend well for a uniform color (few minutes).

Add the remaining ingredients one by one and blend well.

Phase B: Add to the mortar and blend well. Color can be adjusted by adding an additional amount of pigment blend.

Phase C: Add to the mortar and blend only for a short time.

Fill powder containers and press.

Properties

Face powder with a light feel that can help with oil control.