

Soft Matte Lip Color - 100g/3.6oz - 1255

| Ingredient | Function | Percent | Wgt (g) | Wgt (oz) | Vol (tsp.) |
|---|-----------------|----------------|----------------|-----------------|-------------------|
| Phase A | | | | | |
| Silicone Resin (trimethylsiloxy silicate, polypropyl silsesquioxane) | Film Former | 10.00 | 10.00 | 0.18 | 1.00 |
| Isopropyl Myristate (isopropyl myristate) | Emollient | 37.50 | 37.50 | 0.66 | 3.75 |
| Brassica Glycerides (brassic glycerides) | Thickener | 5.00 | 5.00 | 0.09 | 0.50 |
| Polyhydroxystearic Acid (Polyhydroxystearic Acid) | Thickener | 3.00 | 3.00 | 0.05 | 0.30 |
| Candelilla Wax (Euphorbia Cerifera [candelilla] wax) | Thickener | 13.00 | 13.00 | 0.23 | 1.30 |
| Vitamin E Tocopherol (dl-alpha tocopherol) | Antioxidant | 0.50 | 0.50 | 0.01 | 0.05 |
| Mango Butter (Mangifera Indica [Mango] seed butter) | Emollient | 2.00 | 20.00 | 0.04 | 0.20 |
| Lauryl Laurate (lauryl laurate) | Emollient | 2.00 | 2.00 | 0.04 | 0.20 |
| Microcrystalline Wax (microcrystalline wax) | Thickener | 4.00 | 4.00 | 0.07 | 0.40 |
| Phase B | | | | | |
| Titanium Dioxide For Makeup, Liquid (titanium dioxide, octyldodecanol) | Colorant | 3.00 | 3.00 | 0.05 | 0.30 |
| Mica Sappan Red (mica [CI 77019], tin oxide [CI 77861], titanium dioxide [CI 77891], Caesalpinia Sappan bark extract) | Colorant | 0.70 | 0.70 | 0.01 | 0.07 |
| Color Blend (various colors) | Colorant | 5.30 | 5.30 | 0.09 | 0.53 |
| Kaolin (kaolin) | Mattifier | 10.00 | 10.00 | 0.18 | 1.00 |
| Caprylyl Glycol EHG (caprylyl glycol, ethylhexylglycerin) | Anti-Microbial | 1.00 | 1.00 | 0.02 | 0.10 |
| Silica (silica) | Texturizer | 3.00 | 3.00 | 0.05 | 0.30 |

Method

Add Isopropyl Myristate to a heat-resistant beaker and heat to 50 - 60C. Add Silicone Resin very slowly, stirring well and adding more as it dissolves. Once all the resin has dissolved (this should take 5 - 10 minutes), remove beaker from heat. Add remaining phase A ingredients and return to heat, and heat to 70C to melt all of the waxes. Stir well. Remove from heat, and add phase B ingredients and stir well. Pour into lipstick mold and allow to fully cool.

Properties

A soft, comfortable matte lipstick that has great payoff and wearing time. Contains Mango Butter to moisturize the lips and Silica to give a silky feel. Color Blend : Lipstick example (darker red): (for 100/3.6oz grams of lipstick): 0.7g Mica Blackstar Red, 0.7g Sappan Red, 1.2g Mica Bordeaux, 3.4g Red 40 powder.