

Revision Date: 19-Sep-2024

Supersedes: 12-Jan-2022

Mica Gold

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / March 26, 2012 / Rules and Regulation

1 PRODUCT & COMPANY IDENTIFICATION

Product Name: Mica Gold

Synonyms: No data available

INCI Name: Mica, Titanium Dioxide (CI 77891), Iron

Oxides (CI 77491)

CAS Number: 12001-26-2, 13463-67-7, 1309-37-1

Formula: No data available

Product Form: Solid

Product Use: Cosmetic use

Distributor: MakingCosmetics Inc. **Address:** 10800 231st Way NE

Redmond, WA 98053 (USA)

Phone / Fax: 425-292-9502 / 425-292-9601 Web: www.makingcosmetics.com

Emergency Telephone Number: 1-800-424-9300 (Chemtrec)

2 HAZARDS IDENTIFICATION

GHS Classification: Not classified.

GHS Labeling: Not a dangerous substance according to GHS.

GHS Hazard Pictograms: None.
GHS Hazard Statements: None.
GHS Precautionary Statements: None.

Potential Health Hazards: Eyes: Not expected to be an irritant.

Inhalation: Inert dusts may impair respiratory organ functions.

Skin: Not expected to be an irritant.

Ingestion: May cause nausea, vomiting or diarrhea.

NFPA Ratings (704):

Health N/A N/A
Flammability N/A N/A
Reactivity N/A N/A

Specific Hazard N/A

3 COMPOSITION/INFORMATION ON INGREDIENTS

 Component
 CAS No.
 Weight %
 Molecular Weight

 Mica
 12001-26-2
 70 - 78%
 Not Available

 Titanium Dioxide (CI 77891)
 13463-67-7
 19 - 24%
 Not Available

 Iron Oxides (CI 77491)
 1309-37-1
 3 - 6%
 Not Available

4 FIRST AID MEASURES

Eyes: Rinse out with plenty of water. Remove contact lenses. Seek medical attention if necessary.

Inhalation: Move to fresh air.

Skin: Take off immediately all contaminated clothing. Rinse skin with water and/or shower.

Ingestion: Do Not Induce Vomiting. Never give anything by mouth to an unconscious person. Make victim drink water (two

glasses at most). Consult doctor if feeling unwell.

Acute/Delayed

We have no description of any toxic symptoms.

Symptoms:

5 FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Special protective equipment & precautions for firefighters:

Flash Points:

Not combustible. Use appropriate media for surrounding environment and adjacent fire. No unsuitable extinguish media listed.

Wear self-contained breathing apparatus and full protective clothing, including eye protection

and boots. Suppress (knock down) gases/vapors/mists with a water spray jet.

Not applicable.



Specific hazards arising from the Ambient fire may liberate hazardous vapors. See also Stability and reactivity section. chemical:

6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment & emergency procedures:

Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. Do not try to clean up the leak without proper protective equipment. See section 8 for recommendations on the use of personal protective equipment.

Environmental precautions:

Avoid liquid release into sewers/public water/environment. Notify environmental

authorities in case of leak.

Methods and material for containment and cleaning up:

Observe possible material restrictions. Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts. Dispose of absorbed material in accordance with the regulations.

7 HANDLING & STORAGE

Precautions for safe handling:

Observe possible material restrictions. Use good personal hygiene practice. See section 8 for

recommendations on the use of personal protective equipment.

Keep tightly closed and dry. Store away from incompatible materials (see section 10 for incompatibilities).

Conditions for safe storage, incl. any incompatibilities:

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Component	Exposure Limits	<u>Basis</u>	Entity
General threshold limit value	15 mg/m3	TWA (Total	OSHA Z-3
for dust (CAS: 42945)		dust)	
	5 mg/m3	TWA (respirable	OSHA Z-3
		fraction)	
	50 Million particles per cubic	TWA (Total dust)	OSHA Z-3
	foot		
	15 Million particles per cubic foot	TWA (Respirable fraction)	OSHA Z-3
Mica	3 mg/m3	TWA (Respirable)	NIOSH REL
	3 mg/m3	TWA (respirable dust fraction)	OSHA PO
	20 Million particles per cubic	TWA (Dust)	OSHA Z-3
	foot		
	0.1 mg/m3	TWA (Respirable particulate	ACGIH
		matter)	
Titanium Dioxide (Cl 77891)	15 mg/m3	TWA (Total dust)	OSHA Z-1
	10 mg/m3	TWA (Total dust)	OSHA PO
	2.5 mg/m3 (Titanium dioxide)	TWA (Respirable	ACGIH
		particulate matter)	
	0.2 mg/m3 (Titanium dioxide)	TWA (Respirable particulate Matter)	ACGIH
Iron Oxides (CI 77491)	5 mg/m3 (Iron)	TWA (Dust and fume)	NIOSH REL
	10 mg/m3	TWA (Fumes)	OSHA Z-1
	15 mg/m3	TWA (total dust)	OSHA Z-1
	5 mg/m3	TWA (respirable fraction)	OSHA Z-1
	10 mg/m3	TWA (Fumes)	OSHA PO
	5 mg/m3	TWA (Respirable particulate matter)	ACGIH

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit
PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels CEIL: Ceiling

Personal Protection:



Eyes: Wear safety glasses.

Wear dust mask with particle filter when mask is generated. Inhalation:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when Body:

handling chemical products. Change contaminated clothing. Wash hands after working with substance.

Use good personal hygiene practices. Technical measures and appropriate working operations should be given Other: priority over the use of personal protective equipment. Provide eyewash stations, quick-drench showers and

washing facilities accessible to areas of use and handling.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: (Solid) Powder Vapor Pressure: Not applicable **Odorless** Relative Vapor Density: Not applicable Odor: Odor Threshold: **Evaporation Rate:** No data available Not applicable Color: Gold Flammability: Not flammable

Particle Size: 5.0 - 90.0 μm

substance/mixture is nonpH:

soluble (in water)

Boiling Point: Not applicable

Melting/Freezing Point: No data available

Relative Density at 68°F

(20°C):

Bulk Density:

Partition Coefficient: n-

octanol/water:

Dynamic Viscosity:

2.8 - 3.0 g/cm3

280 - 320 kg/m3

Not applicable

Not applicable

Upper/lower Explosive Limit: Not applicable

Flash Point: Not applicable

Specific Gravity: Water Solubility at 68 °F

Auto-Ignition Temperature:

Decomposition Temperature:

Explosive Properties:

No data available

Not applicable

No data available

Practically insoluble

Not classified as explosive

Oxidizing Properties: None

STABILITY AND REACTIVITY

Reactivity: The product is chemically stable under standard ambient conditions (room temperature). Chemical Stability: The product is chemically stable under standard ambient conditions (room temperature).

Hazardous Polymerization: No data available. Conditions to Avoid: No data available Incompatible Materials: No data available

Hazardous Decomposition Products: Ambient fire may liberate hazardous vapors.

Possible Hazardous Reactions: No data available.

TOXICOLOGICAL INFORMATION

Acute Toxicity: No data available. Skin: (Rabbit) no irritant effect.

Component

Iron Oxides (CI 77491): (Rabbit) Result: No skin irritation (ECHA) OECD Test Guideline 404.

Titanium Dioxide (CI 77891): (Rabbit) Result: No skin irritation (IUCLID)

(Rabbit) no irritant effect. Eyes:

Component

Iron Oxides (CI 77491): (Rabbit) Result: No eye irritation (ECHA) OECD Test Guideline 405.

Titanium Dioxide (CI 77891): (Rabbit) Result: No eye irritation (IUCLID).

Inhalation: Inhalation of the dusts should be avoided as even inert dusts may impair respiratory organ

(Rat) LC50: male: between 4.6 and 14.9 mg/l air; female: > 14.9 mg/l air.

Component

Iron Oxides (CI 77491): (Rat) Acute inhalation toxicity; LC50: 5 mg/l; 4 hours; aerosol (ECHA) OECD Test Guideline 403.

(Rat, Oral) not determinable; all animals still alive after 15,000 mg/kg.

Ingestion: Component

> Iron Oxides (CI 77491): (Rat) Acute oral toxicity; LD50 Rat: > 5,000 mg/kg (ECHA).

(Rat) LD50: > 10,000 mg/kg. Titanium Dioxide (CI 77891):

Carcinogenicity:

IARC: Group 2B: Possibly carcinogenic to humans titanium (IV) oxide 13463-67-7.



Likely Route of Exposure: Inhalation, Eye contact, Skin contact, Ingestion.

Human Exposure Experience: The results of animal experiments using pigments of this type indicate no toxicologically relevant

properties. Since the substance is poorly absorbed, no hazardous properties are anticipated.

Sub-chronic Toxicity: (Rat) No appreciable findings up to 50 000 ppm.

Chronic Toxicity: (Rat) 5% of the product added to the feed for a period of 2.5 years did not show any toxicological

changes or carcinogenic effects in animals.

Teratogenicity: No data available.

Germ Cell Mutagenicity: The product did not show any genotoxic effects in the micronucleus test carried out in rats in

concentrations of up to 2000 mg/kg (limit test).

Component

Sensitization:

Component

Iron Oxides (CI 77491): (Rat) Genotoxicity in vivo; Result: negative (ECHA). Genotoxicity in Vitro: Ames test; Result:

negative; Metabolic activation: with and without metabolic activation (ECHA).

Titanium Dioxide (CI 77891): (Chinese hamster ovary cells) Chromosome aberration test in vitro; Result: negative; Metabolic

activation: with and without metabolic activation; Method: OECD Test Guideline 473 (ECHA). The product did not show any genotoxic effects in the micronucleus test carried out in rats in

concentrations of up to 2000 mg/kg (limit test).

Iron Oxides (CI 77491): (Guinea pig) Maurer optimization test; Result: Not a skin sensitizer (ECHA)

Titanium Dioxide (CI 77891): (Mouse) Local lymph node assay (LLNA); Result: negative; Method: OECD Test Guideline 429

(ECHA)

12 ECOLOGICAL INFORMATION

Ecotoxicity: No ecological problems are to be expected when the product is handled and used with due care

and attention.

Aquatic Vertebrate:

Component

Iron Oxides (CI 77491): (Zebra Fish) static test; 96 hours. Titanium Dioxide (CI 77891): (Golden orfe) LCO: > 1,000 mg/l.

Aquatic Invertebrate:

Component

Iron Oxides (CI 77491): (Water flea) EC50 static test: > 100 mg/l; 48 hours; (above the solubility limit in the test

medium) OECD Test Guideline 202 (ECHA)

Terrestrial: Component

Iron Oxides (CI 77491): (Activated Sludge) EC50 Static test: 10,000 mg/l; 3 hours (above the solubility limit in the test

medium) (ECHA)

Titanium Dioxide (CI 77891): (Pseudomonas fluorescens) ECO: > 5,000 mg/l.

Persistence and Degradability: Not readily biodegradable.

Bioaccumulative Potential:
Mobility in Soil:

Not applicable.

No data available.

PBT and vPvB Assessment: Other Adverse Effects: No data available.
No data available.

13 DISPOSAL CONSIDERATIONS

Waste Residues: Leave chemicals in original containers. No mixing with other waste. Users should review their operations in

terms of the applicable federal/national or local regulations and consult with appropriate regulatory

agencies, if necessary, before disposing of waste product.

Product Containers: Handle uncleaned containers like the product itself. Users should review their operations in terms of the

applicable federal/national or local regulations and consult with appropriate regulatory agencies, if

necessary, before disposing of waste product container.

The information in section 13 is for the product as shipped. Use and/or alterations to the product may change the characteristics of the material and alter the waste classification and proper disposal methods

14 TRANSPORT INFORMATION

DOT (Dept. of Transportation, USA):Not classified as dangerous in the meaning of transport regulations.

TDG (Transportation of Dangerous Goods, Canada): Not classified as dangerous in the meaning of transport regulations.



IMDG (International Maritime Dangerous Goods): IATA (International Air Transport Association): ICAO (International Civil Aviation Organization):

Not classified as dangerous in the meaning of transport regulations. Not classified as dangerous in the meaning of transport regulations. Not classified as dangerous in the meaning of transport regulations.

REGULATORY INFORMATION

TSCA Inventory Status:

CERCLA Reportable Quantity:

SARA 304:

This product is regulated under the Food, Drug, and Cosmetic Act and is exempt from TSCA.

This material does not contain any components with a CERCLA RQ.

This material does not contain any components with a section 304 Extremely Hazardous Substances

Reportable Quantity.

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section **SARA 302:**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the

threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by

the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App. A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air

Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for

Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI

Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act: This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act,

Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act,

Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section

Massachusetts Right To Know: Pennsylvania Right To Know: New Jersey Right To Know:

California Prop. 65:

Mica (12001-26-2), Iron Oxides/CI 77491 (1309-37-1), Titanium Dioxide/CI 77891 (13463-67-7). Mica (12001-26-2), Iron Oxides/CI 77491 (1309-37-1), Titanium Dioxide/CI 77891 (13463-67-7). Mica (12001-26-2), Iron Oxides/CI 77491 (1309-37-1), Titanium Dioxide/CI 77891 (13463-67-7). WARNING: This product can expose you to chemicals including titanium (IV) oxide 13463-67-7, which is known to the State of California to cause cancer or reproductive toxicity. For more

information, go to www.P65Warnings.ca.gov

Canada (DSL): This product or its components are listed on or compliant with the DSL.

EU (EINECS): No data available. China (IECSC): No data available. Australia (AICS): No data available. Japan (ENCS): No data available. Philippines (PICCS): No data available. Korea (KECI): No data available.

New Zealand (NZloC): No data available.

OTHER INFORMATION

Revision Date: 19-Sep-2024

Compliance: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication

Standard 29 CFR 1910.1200

Disclaimer: This information relates only to the specific material designated and may not be valid for such material used in

> combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitableness & completeness of such information for his

own particular use.