## 

## **Certificate of Analysis**

## (Representative Sample Certificate)

Product Name:	Fullerene
INCI Name:	Fullerene, sodium hyaluronate, butylene glycol, water
CAS Number:	99685-96-8, 9067-32-7, 107-88-0, 7732-18-5
Lot Number:	Not available (data may vary slightly with different lots or batches)
Expiration Date:	18 months from production date

Property	Specification	Analysis
Appearance	Brown viscous liquid	Complied
Odor	Odorless	Complied
Identification	Maximum absorption at 340±2nm	Complied
рН	5.5 - 7.5	6.0
Fullerenes	400 - 600 ppm	418 ppm
Viscosity	15000 mPa.s MAX	11083 mPa.s
Heavy Metals (as Pb)	10 ppm MAX	<10 ppm
As	2 ppm MAX	<2 ppm
Hg	1 ppm MAX	<1 ppm
Cd	5 ppm MAX	<5 ppm
Bacteria Counts	<1000 CFU/g	<10 cfu/g
Yeasts and Molds	<100 CFU/g	<10 cfu/g
Thermotolerant Coliform Bacteria	Negative/g	Negative/g
Pseudomonas Aeruginosa	Negative/g	Negative/g
Staphylococcus Aureus	Negative/g	Negative/g

The above data was obtained using the test indicated and is subject to the deviation inherent in the test method. Results may vary under other test methods or conditions.

This report is not to be signed. All data are as per our supplier.

**Disclaimer**: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy themself as to the suitableness & completeness of such information for their own particular use.