

### **Mica Luster Black**

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / March 26, 2012 / Rules and Regulation

Revision Date: 27-Mar-2024 Supersedes: 22-Sep-2023

### PRODUCT & COMPANY IDENTIFICATION

Product Name: Synonyms: INCI Name:	Mica Luster Black No data available Mica (CI 77019), Titanium Dioxide (CI 77891), Iron Oxide (CI 77499)	Distributor: Address:	MakingCosmetics Inc. 10800 231 <sup>st</sup> Way NE Redmond, WA 98053 (USA)
CAS Number: Formula: Product Form: Product Use:	12001-26-2, 13463-67-7, 12227-89-3 No data available Liquid Cosmetic use	Phone / Fax: Web: Emergency Tel	425-292-9502 / 425-292-9601 www.makingcosmetics.com ephone Number: 1-800-424-9300 (Chemtrec)

### 2 HAZARDS IDENTIFICATION

GHS Classification: GHS Labeling: GHS Hazard Pictograms: GHS Hazard Statements: GHS Precautionary Statements: Routes of Entry: Potential Health Hazards:	None. None. Possible eye, inh Eyes: May cause Inhalation: may c repeated exposu Skin: May cause s	alation, eye irrita cause res re. skin irrita	ation. spiratory irritation, including chronic pulmonary fibrosis with ation.
	, <u> </u>	use naus	sea, vomiting, or diarrhea.
HMIS III Ratings (H1/F0/PH0):	Health	1	Slight
	Flammability	0	Minimal
	Reactivity	0	Minimal
	Personal	Т	Dust Respirator
	Protection		

### **3** COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	CAS No.	Weight %	Molecular Weight
Mica (CI 77019)	12001-26-2	52 - 68%	Not Available
Titanium Dioxide (CI 77891)	13463-67-7	20 - 28%	Not Available
Iron Oxide (CI 77499)	12227-89-3	12 - 20%	Not Available

### 4 FIRST AID MEASURES

Eyes:	Rinse away thoroughly with water at least for 15 minutes with eyelids held open. Seek medical attention if discomfort persists.
Inhalation:	Move to fresh air. Seek medical attention if irritation develops.
Skin:	Remove clothing contaminated with the product immediately. Wash with soap and water. Seek medical attention if irritation develops.
Ingestion:	Rinse mouth and then drink plenty of water. Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. Not a hazard under normal use conditions. If large quantities are ingested, seek medical attention.
5 FIRE-FIGHT	ING MEASURES

Suitable (and unsuitable)

May be combustible at high temperature. Use appropriate media (CO2, powder, or water

### SDS (Safety Data Sheet)

extinguishing media:	spray) for adjacent fire. Fight larger fires with water spray or alcohol resistant foam. No unsuitable extinguish media listed.		
Special protective equipment & precautions for firefighters:	Use air supplied breathing equipment and full protective clothing, including eye protection and boots.		
Flash Points:	No data available.		
Specific hazards arising from the chemical:	None known. See also stability and reactivity section.		
6 ACCIDENTAL RELEASE MEASURES	5		
Personal precautions, protective	Ensure adequate ventilation. Do not try to clean up the leak without proper protective		
equipment & emergency procedures			
Environmental precautions:	Avoid liquid release into sewers/public water/environment. Notify environmental authorities in case of leak.		
Methods and material for containment and cleaning up:	For small amounts: Pick up with suitable appliance and dispose of. For large amounts: Pick up with suitable appliance and dispose of. Spills should be contained and placed in suitable containers for disposal. Do not try to clean up the leak without the proper protective equipment. Dispose of all waste and cleanup materials in accordance with regulations.		

### HANDLING & STORAGE

Precautions for safe handling:	Breathing must be protected when large quantities are decanted without local exhaust ventilation. Avoid contact with the skin, eyes, and clothing. Avoid dust formation. Closed containers should only be opened in well-ventilated areas. Handle in accordance with good industrial hygiene and safety practices. See section 8 for recommendations on the use of personal protective equipment.
Conditions for safe storage, incl. any incompatibilities:	Store tightly closed in a dry, light protected area. Store away from incompatible materials (see section 10 for incompatibilities).

### 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Mica Luster Black Exposure Limits Not available

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work. REL: Recommended Exposure Limit PEL: Permissible Exposure Limit <u>Basis</u> Not available <u>Entity</u> Not available

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels CEIL: Ceiling

#### **Personal Protection:**

Eyes:	Wear safety glasses with side shields.
Inhalation:	Wear a NIOSH certified (or equivalent) organic vapor/particulate respirator. Observe OSHA regulations for
	respirator use.
Body:	Wear chemical-resistant, impervious gloves complying with an approved standard, and full protective clothing at all
	times, when handling chemical products.
Other:	Use good personal hygiene practices. Provide eyewash stations, quick-drench showers and washing facilities
	accessible to areas of use and handling.

### 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:
Odor:
Odor Threshold:
Color:
Molecular Weight:
pH:
Boiling Point:

Powder Odorless No data available Gray free flowing powder No data available (5 ~ 9) 10% aqueous slurry No data available Vapor Pressure: Vapor Density: Evaporation Rate: Flammability: Upper/lower Explosive Limit: Flash Point: Specific Gravity: No data available No data available

## SDS (Safety Data Sheet)

Melting Point: Relative Density: Partition Coefficient: noctanol/water: Electric Conduction: No data available No data available No data available Water Solubility: Self-Igniting Properties: Decomposition Temperature: Insoluble Not self-igniting No data available

Non-conduction

Chemical Stability:

Acid/Alkali resistance under the normal temperatures.

### 10 STABILITY AND REACTIVITY

Incompatible Materials:No data available.Hazardous Decomposition Products:No hazardous decomposition products if stored and handled as prescribed/indicated.Possible Hazardous Reactions:No hazardous reactions when stored and handled according to instructions. The product is chemically stable.	Hazardous Decomposition Products:	No hazardous decomposition products if stored and handled as prescribed/indicated. No hazardous reactions when stored and handled according to instructions. The product is
--	-----------------------------------	--

### 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:	No data available.
Skin:	No irritant effect but may cause mechanical irritation.
Eyes:	No irritant effect but may cause mechanical irritation.
Respiratory:	Inhalation of dusts should be avoided as even inert dusts may impair respiratory organ functions.
Ingestion:	(Rat) LD50: > 2,000 mg/kg. The product has not been tested. The statement has been derived
-	from the properties of the individual components.
Carcinogenicity:	The results of animal experiments using pearl luster pigment of this type indicate no
	toxicological relevant properties. Since the substance is poorly absorbed, no systemic effects are
	to be anticipated.
Teratogenicity:	No evidence of teratogenic effects.
Germ Cell Mutagenicity:	No evidence of mutagenic effects.
Repeated Dose Toxicity:	Prolonged or repeated exposure to dust may cause pulmonary problems.
Reproductive Toxicity:	The results of animal experiments using pearl luster pigment of this type indicate no
	toxicological relevant properties. Since the substance is poorly absorbed, no systemic effects are
	to be anticipated.
Corrosivity:	No corrosive effect on metal.
Sensitization:	No sensitizing effects known.
Additional Toxicological	This product is not subject to classification according to the calculation method of the General
Information:	EU Classification Guidelines for Preparations as issued in the latest version. When used and
	handled according to specifications, the product does not have any harmful effects to our
	experience and the information provided.

### 12 ECOLOGICAL INFORMATION

Ecotoxicity:	No ecological problems are to be expected when this product is handled and used with due care and attention.
Aquatic Vertebrate:	(Fish) LC50: 96 hours: Not determined.
Aquatic Invertebrate:	(Daphnia) LC50: 48 hours: Not determined.
Aquatic Algae:	(Algae) EC50: 72 hours: Not determined.
Persistence and Degradability:	Not readily biodegradable (by OECD criteria).
Bioaccumulative Potential:	No data available.
Mobility in Soil:	No data available.
PBT and vPvB Assessment:	No data available.
General Notes:	(German Regulation-Self-assessment): Water hazard class 1: Slightly hazardous for water
	Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. The colorant is insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plant.

### 13 DISPOSAL CONSIDERATIONS

Waste Residues:	Dispose of in a licensed facility. Do not discharge into drains/surface waters/groundwater. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA. Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary, before disposing of waste product container.
Product Containers:	Uncontaminated packaging can be re-used. Packs that cannot be cleaned should be disposed of in the same manner as the contents. Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary, before disposing of waste product container.

The information in section 13 is for the product as shipped. Use and/or alterations to the product may change the characteristics of the material and alter the waste classification and proper disposal methods.

### 14 TRANSPORT INFORMATION

DOT (Dept. of Transportation, USA): TDG (Transportation of Dangerous Goods, Canada): IMDG (International Maritime Dangerous Goods): IATA (International Air Transport Association): ICAO (International Civil Aviation Organization): Not classified as a dangerous good under transport regulations. Not data available. Not classified as a dangerous good under transport regulations.

Not classified as a dangerous good under transport regulations. Not classified as a dangerous good under transport regulations.

### 15 REGULATORY INFORMATION

TSCA Inventory Status:	No data available.
SARA 335 (Extremely	None of the ingredients are listed.
Hazardous Substance):	
SARA 313 (Specific Toxic	None of the ingredients are listed.
Chemical Listings):	Note of the ingredients are discus.
5,	None of the ingradients are listed
Reproductive Toxicity	None of the ingredients are listed.
Chemicals:	
Developmental Toxicity	None of the ingredients are listed.
Chemicals:	
Environmental Protection	None of the ingredients are listed.
Agency (EPA):	
National Toxicology Program	None of the ingredients are listed.
(NTP):	-
Occupational Safety & Health	None of the ingredients are listed.
Administration (OSHA-Ca):	
PA Right to Know:	Present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Titanium
	dioxide, Silicon dioxide, amorphous.
NJ Right to Know:	Present at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens
No Right to Rhow.	or teratogens): Titanium dioxide, Silicon dioxide, amorphous.
CA Dropposition (E)	<b>o</b> , , , , , , , , , , , , , , , , , , ,
CA Proposition 65:	WARNING: This product can expose you to chemicals including titanium dioxide, which is known to
	the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov

### 16 OTHER INFORMATION

Additional	LC50: Lethal concentration, 50 percent
Abbreviations:	LD50: Lethal dose, 50 percent
	HMIS III rating: A numbering scale ranging from 0 - 4 to indicate the degree of hazard. A value of zero means
	that the substance possesses essentially no hazard; a rating of four indicates extreme danger. Although similar,
	the two rating systems are intended for different purposes, and use different criteria. The HMIS system was
	designed to communicate workplace hazard information to employees who handle hazardous chemicals.
<b>Revision Date:</b>	27-Mar-2024
Compliance:	This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication
	Standard 29 CFR 1910.1200
Disclaimer:	This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to be the best of the

## SDS (Safety Data Sheet)

company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitableness & completeness of such information for his own particular use.