

Revision Date: 20-Dec-2024

Supersedes: 25-May-2021

## Quaternium-31

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / March 26, 2012 / Rules and Regulation

1 PRODUCT & COMPANY IDENTIFICATION

Product Name: Quaternium-31 Synonyms: No data available

INCI Name: Dicetyldimonium Chloride, Isopropyl Alcohol

**CAS Number:** 68391-05-9, 67-63-0 **Formula:** No data available

Product Form: Liquid

**Product Use:** Cosmetic use

Distributor: MakingCosmetics Inc.

Address: 10800 231st Way NE
Redmond, WA 98053 (USA)

Phone / Fax: 425-292-9502 / 425-292-96

Phone / Fax: 425-292-9502 / 425-292-9601 Web: www.makingcosmetics.com

Emergency Telephone Number: 1-800-424-9300 (Chemtrec)

### 2 HAZARDS IDENTIFICATION

Classification: Flammable liquids: Category 3

Acute Toxicity - Oral: Category 4

Serious Eye Damage/Eye Irritation: Category 2A

Specific Target Oran Toxicity - Single Exposure: Category 3

Acute Aquatic Toxicity: Category 1 Chronic Aquatic Toxicity: Category 2

Signal Word: WARNING!

Hazard Pictograms:

<u>!</u>

Hazard Statements: H226: Flammable liquid and vapor.

H302: Harmful if swallowed.

H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.

H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long-lasting effects.

**Precautionary Statements:** P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge. P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P264: Wash skin thoroughly after handling.

P270: Do not eat, drink, or smoke when using this product. P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/eye protection/face protection.

P312: Call a POISON CENTER/doctor if you feel unwell.

P330: Rinse mouth. P391: Collect spillage.

P301 + P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313: If eye irritation persists: Get medical advice/attention.

P370 + P378: In case of fire: Use dry sand, dry chemical, or alcohol resistant foam for



extinction.

P405: Store locked up.

P403 + P233: Store in a well-ventilated place. Keep cool. P403 + P235: Store in a well-ventilated place. Keep cool.

P501: Disponse of contents/container in accordance with local and federal regulations.

Potential Health Hazards: Eyes: May be an irritant.

Inhalation: May cause drowsiness or dizziness.

Skin: May be an irritant.

Ingestion: Harmful if swallowed.

NFPA Ratings (704): Health 2 Moderate

Flammability 3 Serious Reactivity 0 Minimal

Specific Hazard N/A

#### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Component CAS No. Molecular Weight Weight % Dicetyldimonium Chloride 68391-05-9 65 - 75% Not Available Isopropyl Alcohol 67-63-0 15 - 25% Not Available Water 7732-18-5 5 - 15% Not Available

#### 4 FIRST AID MEASURES

Eyes: Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with

eyes, rinse immediately with plenty of water and seek medical advice. If eye irritation persists, consult a

specialist.

**Inhalation:** Move to fresh air. Consult a physician after significant exposure.

**Skin:** Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate

medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.

**Ingestion:** Do Not Induce Vomiting. Never give anything by mouth to an unconscious person. Seek immediate medical

attention.

### 5 FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

May be combustible at high temperatures. Use appropriate media (dry chemical, alcohol resistant foam) for surrounding environment for adjacent fire. Do not use a high-volume water

jet.

Special protective equipment & precautions for firefighters:

Wear self-contained breathing apparatus and full protective clothing, including eye protection and boots. Follow standard procedure for chemical fires. Do not use a solid water stream as it may scatter and spread fire. Do not allow run-off from firefighting to enter drains or water

may scatter and spread fire. Do not allow run-off from firefighting to enter drains or water courses. Cans should be stored separately in closed containments. Use water spray to cool unopened containers.

Flash Points: 72°F (24°C)

Specific hazards arising from the

chemical:

None listed. See also Stability and reactivity section.

## 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment & emergency procedures: Environmental precautions:

Do not try to clean up the leak without proper protective equipment. See section 8 for recommendations on the use of personal protective equipment.

Avoid liquid release into sewers/public water/environment. Notify environmental

authorities in case of leak.

Methods and material for containment and cleaning up:

Soak up with inert absorbent material. Shovel into suitable container for disposal. After cleaning, flush away traces with water. Dispose of absorbed material in accordance with the regulations.

## 7 HANDLING & STORAGE



Precautions for safe

handling:

Avoid contact with skin, eyes, and clothing. Handle in accordance with good industrial hygiene and safety measures. Wear personal protective equipment. Use good personal hygiene practice. See section 8 for recommendations on the use of personal protective equipment.

Conditions for safe storage, incl. any incompatibilities: No smoking. Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible materials (see section 10 for incompatibilities).

### 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits Component <u>Basis</u> **Entity** TWA / STEL **ACGIH** Isopropyl Alcohol 200 ppm **ACGIH** 400 ppm TWA 400 ppm / 980 mg.m3 NIOSH - REL ST 500 ppm / 1225 mg/m3 TWA NIOSH - REL 400 ppm/ 980 mg/m3 OSHA Z-1 TWA 400 ppm / 980 mg/m3 **STEL** OSHA-PO 500 ppm / 1225 mg/m3 OSHA-P0 STEL

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels CEIL: Ceiling

This stock Exposure Elline

**Personal Protection:** 

Eyes: Tightly fitting safety goggles or face shield and protective suit for abnormal processing problems.

Inhalation: Ensure adequate ventilation. In the case of vapor formation, use a respirator with an approved filter.

Body: Wear impervious gloves and impervious clothing. Choose body protection according to the amount and

concentration of the dangerous substance at the workplace.

Other: Use good personal hygiene practices. Provide eyewash stations, quick-drench showers and washing facilities

accessible to areas of use and handling.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid Vapor Pressure: No data available
Odor: Characteristic, alcohol-like Vapor Density: No data available
Odor Threshold: No data available
Odor Threshold: No data available

Odor Threshold:No data availableEvaporation Rate:No data availableColor:ClearFlammability:No data available

Molecular Weight: No data available Upper/lower Explosive Limit: Upper: 12% (V) Lower: 2% (V)

pH: 6.5 - 8.5, 5% aqueous solution Flash Point: 75°F (24°C) Closed cup of isopropanol

Boiling Point:199°F (93°C)Specific Gravity:No data availableMelting/Freezing Point:No data availableWater Solubility:Dispersible

Melting/Freezing Point:No data availableWater Solubility:DispersibleRelative Density at 24°C:0.868Auto-Ignition Temperature:No data available

Partition Coefficient: n- No data available octanol/water:

No data available octanol/water:

Viscosity:No data availableExplosive Properties:No data availableOxidizing Properties:No data availableMetal Corrosion:No data available

#### 10 STABILITY AND REACTIVITY

**Reactivity:** No data available.

Chemical Stability: Stable.

**Hazardous Polymerization:** Vapors may from explosive mixture with air.

Conditions to Avoid: Keep away from heat, flames, and sparks. Avoid contact with skin, eyes, and clothing.

**Incompatible Materials:** Avoid contact with strong oxidizing agents.

Hazardous Decomposition Products: No data available. Possible Hazardous Reactions: No data available.

#### 11 TOXICOLOGICAL INFORMATION



Acute Toxicity: No data available.

**Skin:** Solvents may degrease the skin. Moderate skin irritation.

Eyes: May cause serious eye injury.

Inhalation: No data available.

**Ingestion:** Oral, LD50 (mg/kg bodyweight) 714.29 mg/kg (calculation method).

Carcinogenicity:
Teratogenicity:
Germ Cell Mutagenicity:
Embryotoxicity:
Specific Target Organ Toxicity:
Reproductive Toxicity:
No data available.

#### 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** Highly toxic to aquatic life.

Aquatic Vertebrate: No data available. Aquatic Invertebrate: No data available. Terrestrial: No data available. Persistence and Degradability: No data available. **Bioaccumulative Potential:** No data available. Mobility in Soil: No data available. PBT and vPvB Assessment: No data available. Other Adverse Effects: No data available.

#### 13 DISPOSAL CONSIDERATIONS

Waste Residues: Follow all federal, state, and local regulations for non-hazardous waste disposal. Disposal methods

identified are for the product as sold. For proper disposal of used material, users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate

regulatory agencies, if necessary, before disposing of waste product.

**Product Containers:** Empty containers should be recycled or disposed of through an approved waste management facility.

Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies, if necessary, before disposing of waste product container.

The information in section 13 is for the product as shipped. Use and/or alterations to the product may change the characteristics of the material and alter the waste classification and proper disposal methods

### 14 TRANSPORT INFORMATION

DOT (Dept. of Transportation, USA): Regulated.

UN Number: UN2924

Hazard Class: 3: Flammable and Combustible Liquids N.O.S.

Packing Group: Group III

Harmonization Code: 2923.90.0000

TDG (Transportation of Dangerous Goods, Canada): No data available.

IMDG (International Maritime Dangerous Goods):

Regulated.

UN Number: UN2924

Hazard Class: 3: Flammable and Combustible Liquids N.O.S.

Packing Group: Group III

Harmonization Code: 2923.90.0000

Marine Pollutant: Yes.

IATA (International Air Transport Association): Regulated.

UN Number: UN2924

Hazard Class: 3: Flammable and Combustible Liquids N.O.S.

Packing Group: Group III

Harmonization Code: 2923.90.0000

ICAO (International Civil Aviation Organization): No data available.



### 15 REGULATORY INFORMATION

TSCA Registered: Yes. TSCA 5(a) SNUR: No.

SARA Title III Section 313: The following components are subject to reporting levels established by SARA Title III, Section

313: Isopropanol (67-63-0) 20%

Canada (DSL): In compliance.

**EU Classification (REACH):** In compliance with REACH.

China (IECSC): In compliance.

China (CHINV): Listed.

Australia (AICS): In compliance.

Japan (ENCS): No data available.

Philippines (PICCS): In compliance.

Korea (KECI): In compliance.

New Zealand (NZloC): Listed or in compliance.

#### 16 OTHER INFORMATION

Revision Date: 20-Dec-2024

Compliance: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication

Standard 29 CFR 1910.1200

**Disclaimer:** This information relates only to the specific material designated and may not be valid for such material used in

combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation,

warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitableness & completeness of such information for his

own particular use.