

Revision Date: 12-Jun-2024

Supersedes: 16-Mar-2020

GelMaker® Powder

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / March 26, 2012 / Rules and Regulation

PRODUCT & COMPANY IDENTIFICATION

Product Name: GelMaker® Powder Synonyms: No data available

INCI Name: Acrylates C10-30 alkyl acrylate crosspolymer,

Water

CAS Number: 9003-01-4, 7732-18-5 Formula: No data available

Product Form: Solid

Product Use: Cosmetic use Distributor: MakingCosmetics Inc. 10800 231st Way NE Address:

Redmond, WA 98053 (USA)

Phone / Fax: 425-292-9502 / 425-292-9601 Web: www.makingcosmetics.com

Emergency Telephone Number: 1-800-424-9300 (Chemtrec)

HAZARDS IDENTIFICATION

GHS Classification: Not classified.

GHS Labeling: No labelling is required in accordance with GHS directives.

GHS Hazard Pictograms: None. **GHS Hazard Statements:** None. **GHS Precautionary Statements:** None.

Potential Health Hazards: Eyes: Not expected to cause eye irritation. Particulates may cause mechanical irritation.

Inhalation: Breathing of dust may cause coughing, mucous production, and shortness of

Skin: Not expected to be a primary skin irritant.

Ingestion: May cause gastrointestinal irritation. NFPA Ratings (704): Health Slight 1

> Flammability 1 Slight Reactivity 0 Minimal

Specific Hazard N/A

COMPOSITION/INFORMATION ON INGREDIENTS

Component Weight % Molecular Weight Acrylates C10-30 alkyl acrylate 9003-01-4 ≤97.3% Not Available

crosspolymer

Water 7732-18-5 <100% Not Available

FIRST AID MEASURES

Flush eyes with water for at least 15 minutes. If irritation persists, seek medical attention. Eves:

Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration using a Inhalation:

pocket mask type resuscitator. Call a physician immediately.

Skin: Immediately remove contaminated clothing and shoes. Wash off immediately with plenty of water for at least 15

minutes. Call a physician immediately.

Ingestion: Do Not Induce Vomiting. Never give anything by mouth to an unconscious person. Get immediate medical

attention.

FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Special protective equipment & precautions for firefighters:

May be combustible at high temperatures. Use appropriate media (foam dry powder, CO2) for

adjacent fire. Do not use direct water jet.

Wear self-contained breathing apparatus operated in positive pressure mode and full

protective clothing, including eye protection and boots.



Flash Points:

Not applicable.

Specific hazards arising from the chemical:

Solid does not readily release flammable vapors. This material has been evaluated and is a risk for dust explosion. It is categorized as Dust Explosion Class ST1. Material can form an explosive organic dust air mixture. Take care to minimize airborne dust. See also Stability and reactivity

section.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment & emergency procedures: Material is slippery when wet. Do not try to clean up the leak without proper protective equipment. See section 8 for recommendations on the use of personal protective

equipment.

Environmental precautions:

Avoid liquid release into sewers/public water/environment. Notify environmental

authorities in case of leak.

Methods and material for containment and cleaning up: Pick up free solid for recycle and/or disposal. Avoid raising a dust. Wash spill area with

detergent. Dispose of absorbed material in accordance with the regulations.

HANDLING & STORAGE

Precautions for safe handling:

Keep material away from heat, sparks, pilot lights, static electricity, and open flame. Avoid creating dust. Maintain good housekeeping practices. Avoid drinking, tasting, swallowing, or ingesting this product. Avoid inhalation of dust, aerosol, mist, spray, fume, or vapor. Use with appropriate and adequate ventilation.

Ground and bond containers when transferring material. Avoid prolonged skin contact. Launder contaminated clothing before reuse. Use good personal hygiene practice. See section 8 for recommendations on the use of personal protective equipment. Dispose of packaging or containers in

accordance with local, regional, national, and international regulations.

Conditions for safe storage, incl. any incompatibilities:

Store in a cool, dry, well-ventilated area. Keep container closed when not in use. Store away from

incompatible materials (see section 10 for incompatibilities).

EXPOSURE CONTROLS / PERSONAL PROTECTION

Component **Exposure Limits** Basis Entity GelMaker® Powder Not established Not available Not available

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels

Personal Protection:

Safety glasses, goggles, or face shield recommended for eye protection. Eyes:

Inhalation: If use generates a dust, local exhaust ventilation is recommended. Prevent inhalation by providing effective general

and, when necessary, local exhaust ventilation to draw dust away from workers. Avoid high concentrations of dust

in air and accumulation of dust on equipment.

Protective gloves made of rubber or neoprene. Suitable protective clothing should be worn. Body:

Other: Use good personal hygiene practices. Provide eyewash stations, quick-drench showers and washing facilities

accessible to areas of use and handling.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Fine powder Odor: Characteristic Odor Threshold: No data available White

Color: Molecular Weight: No data available

pH:

Boiling Point: No data available Melting/Freezing Point: No data available Relative Density: No data available Vapor Pressure: No data available Vapor Density: No data available Evaporation Rate: No data available Flammability: Undetermined Upper/lower Explosive Limit: No data available Flash Point: Not applicable Specific Gravity: No data available

Water Solubility: Insoluble **Auto-Ignition Temperature:** 896.0000000



Partition Coefficient: n-No data available **Decomposition Temperature:** No data available

octanol/water:

Viscosity: No data available No data available **Oxidizing Properties:**

Explosive Properties: No data available Metal Corrosion: No data available

10 STABILITY AND REACTIVITY

Reactivity: No data available.

Chemical Stability: Material is normally stable at moderately elevated temperatures and pressures.

Hazardous Polymerization: No data available. Conditions to Avoid: No data available. No data available. Incompatible Materials:

Hazardous Decomposition Products: Smoke, carbon monoxide, carbon dioxide, aldehydes, and other products of incomplete

combustion

Possible Hazardous Reactions: No data available.

TOXICOLOGICAL INFORMATION

Acute Toxicity: No data available.

(Rabbits) LD50: >5000 mg/kg. Skin:

> Not expected to be primary skin irritant. Based on data from similar materials. Contact dermatitis may occur in sensitive individuals under extreme and unusual conditions of prolonged

> and repeat contact, such as high exposure accompanied by elevated temperature and occlusion by clothing. The effect may be the result of the products hygroscopic properties, abrasion, or

pH.

Eyes: Not expected to cause eye irritation. Based on data from similar materials. Particulates may

cause mechanical irritation. Solid particles (powder/dust) on the eye may cause pain and

Respiratory: Breathing of dust may cause coughing, mucous production, and shortness of breath. Avoid

inhalation of dust. Laboratory studies indicate the inhalation of respirable polyacrylate dust may

cause inflammatory changes in the lung.

(Rats) LD50: >10,000 mg/kg. Ingestion:

Carcinogenicity: Not listed as carcinogen by NTP, IARC, OSHA, or GHS.

Teratogenicity: No data available. Germ Cell Mutagenicity: No data available. **Embryotoxicity:** No data available. Specific Target Organ Toxicity: No data available. Reproductive Toxicity: No data available. Sensitization: No data available.

Chronic Toxicity: Nο

ECOLOGICAL INFORMATION

Ecotoxicity: Acute LC50: 100-1000 mg/L based on component data.

Acute EC50: 100-1000 mg/L based on component data.

Aquatic Vertebrate: No data available. Aquatic Invertebrate: No data available. Terrestrial: No data available.

Persistence and Degradability: At least 25% of the components in this product show limited biodegradation based on OECD 301-

type test data. At least 25% of the components in this product show limited biodegradation

based on OECD 302-type test data.

Bioaccumulative Potential: Less than 1.0% of the components potentially biodegradable.

Mobility in Soil:

No data available.

No data available. PBT and vPvB Assessment: Other Adverse Effects: No data available.

DISPOSAL CONSIDERATIONS

Waste Residues: Users should review their operations in terms of the applicable federal/national or local regulations and



consult with appropriate regulatory agencies, if necessary, before disposing of waste product container. **Product Containers:**

Users should review their operations in terms of the applicable federal/national or local regulations and

consult with appropriate regulatory agencies, if necessary, before disposing of waste product container.

The information in section 13 is for the product as shipped. Use and/or alterations to the product may change the characteristics of the material and alter the waste classification and proper disposal methods

TRANSPORT INFORMATION

DOT (Dept. of Transportation, USA): Proper Shipping Name: COMPOUNDS, RESIN PLASTIC THICKENING TDG (Transportation of Dangerous Goods, Canada): Proper Shipping Name: COMPOUNDS, RESIN PLASTIC THICKENING IMDG (International Maritime Dangerous Goods): Proper Shipping Name: COMPOUNDS, RESIN PLASTIC THICKENING IATA (International Air Transport Association): Proper Shipping Name: COMPOUNDS, RESIN PLASTIC THICKENING ICAO (International Civil Aviation Organization): Proper Shipping Name: COMPOUNDS, RESIN PLASTIC THICKENING

15 REGULATORY INFORMATION

TSCA Inventory Status: Cosmetic/personal care applications not subject to TSCA.

OSHA Regulated Hazard:

SARA 312: No regulated chemicals. **SARA 313:** No regulated chemicals. States Right to Know: None known in PA, or NJ.

Additional State Regulations: None known. E C Classification: Non-applicable. **EPA Registration Number:** Non-applicable. Non-applicable. Canada (DSL): EU (EINECS): No data available. No data available. China (IECSC): Australia (AICS): No data available. Japan (ENCS): No data available. Philippines (PICCS): No data available. Korea (KECI): No data available. New Zealand (NZloC): No data available.

California Prop 65: Does not contain any substances listed on Prop. 65.

OTHER INFORMATION

Revision Date: 12-Jun-2024

Compliance: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication

Standard 29 CFR 1910.1200

This information relates only to the specific material designated and may not be valid for such material used in Disclaimer:

combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation,

warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitableness & completeness of such information for his

own particular use.