# SDS (Safety Data Sheet)

# Ethoxydiglycol

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / March 26, 2012 / Rules and Regulation

Revision Date: 21-Oct-2024 Supersedes: 24-Mar-2023

## PRODUCT & COMPANY IDENTIFICATION

Product Name:	Ethoxydiglycol
Synonyms:	No data available
INCI Name:	Ethoxydiglycol
CAS Number:	111-90-0
Formula:	No data available
Product Form:	Liquid
Product Use:	Cosmetic use

Distributor: Address: Phone / Fax: Web: MakingCosmetics Inc. 10800 231<sup>st</sup> Way NE Redmond, WA 98053 (USA) 425-292-9502 / 425-292-9601 www.makingcosmetics.com

Emergency Telephone Number: 1-800-424-9300 (Chemtrec)

### 2 HAZARDS IDENTIFICATION

GHS Classification: GHS Labeling: GHS Hazard Pictograms: GHS Hazard Statements: GHS Precautionary Statements: Potential Health Hazards:	Not classified. Not a dangerous s None. None. Eyes: May be an in Inhalation: May be Skin: Not expecte Ingestion: May can	rritant. e an irrita d to be a	ant. n irritant.	
NFPA Ratings (704):	Health Flammability Reactivity Specific Hazard	N/A N/A N/A N/A	N/A N/A N/A	

#### **3** COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS No.</u>	<u>Weight %</u>	<u>Molecular Weight</u>
Ethoxydiglycol	111-90-0	100%	Not Available

4 FIRST AID MEASURES

Eyes:	Rinse eyes with water as a precaution. Treat symptomatically.
Inhalation:	Remove person to fresh air and keep comfortable for breathing. Treat symptomatically.
Skin:	Wash skin with plenty of water. Treat symptomatically.
Ingestion:	Do Not Induce Vomiting. Never give anything by mouth to an unconscious person. Call a poison center or a doctor
	if you feel unwell. Treat symptomatically.

### 5 FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:	May be combustible at high temperatures. Use appropriate media (water spray, dry powder, foam, carbon dioxide) for surrounding environment and adjacent fire. No unsuitable extinguish media listed.
Special protective equipment & precautions for firefighters: Flash Points: Specific hazards arising from the chemical:	Wear self-contained breathing apparatus and full protective clothing, including eye protection and boots. 201°F (94°C) Toxic fumes may be released. See also Stability and reactivity section.

## 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment & emergency procedures:	Ventilate spillage area. Do not try to clean up the leak without proper protective equipment. See section 8 for recommendations on the use of personal protective equipment.
Environmental precautions:	Avoid liquid release into sewers/public water/environment. Notify environmental authorities in case of leak.
Methods and material for containment and cleaning up:	Take up liquid spill into absorbent material. Dispose of materials or solid residues at an authorized site. Dispose of absorbed material in accordance with the regulations.
7 HANDLING & STORAGE	
Precautions for safe Ensure good ver	itilation of the work station. Wear personal protective equipment. Do not eat, drink or

Precations for safeEnsure good ventuation of the work station, wear personal protective equipment. Do not eat, drink ofhandling:smoke when using this product. Always wash hands after handling the product. Use good personal hygiene<br/>practice. See section 8 for recommendations on the use of personal protective equipment.Conditions for safe<br/>storage, incl. any<br/>incompatibilities:Store in a well-ventilated place. Keep cool. Store away from incompatible materials (see section 10 for<br/>incompatibilities).

EXPOSURE CONTROLS / PERSONAL PROTECTION

### Diethylene Glycol Monoethyl Ether (111-90-0)

8

DNEL/DMEL (W	orkers)	,
Long-term - sys	stemic effects, dermal:	83 mg/kg bodyweight/day.
Long-term - loo	al effects, dermal:	1.5 mg/cm <sup>2</sup>
Long-term - sys	stemic effects, inhalation:	61 mg/m <sup>3</sup>
Long-term - loc	al effects, inhalation:	30 mg/m <sup>3</sup>
	eneral population)	
Long-term - sys	stemic effects, oral:	50 mg/kg bodyweight/day.
	stemic effects, inhalation:	37 mg/m <sup>3</sup>
	stemic effects, dermal:	25 mg/kg bodyweight/day.
	al effects, dermal:	0.9 mg/cm <sup>2</sup>
	al effects, inhalation:	18 mg/m <sup>3</sup>
PNEC (Water)		
PNEC aqua (fre		1.98 mg/l.
PNEC aqua (ma		0.198 mg/l.
	ermittent, freshwater):	19.8 mg/l.
PNEC (Sedimer		
PNEC sediment	, ,	7.32 mg/kg dwt.
	(marine water):	0.732 mg/kg dwt.
PNEC (Soil)		
PNEC soil:		0.34 mg/kg dwt.
PNEC (Oral)		
	ondary poisoning):	444 mg/kg food.
PNEC (STP)		
-	reatment plant:	500 mg/l.
Source:		European Chemicals Agency, http://echa.europa.eu/
		STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels CEIL: Ceiling
Personal Prote	ction:	
Eves:	Wear safety glasses.	
Inhalation:	, ,	the work station. In case of insufficient ventilation, wear suitable respiratory
	equipment.	
Body:	• •	loves and full protective clothing.
Other:		practices. Avoid release into the environment. Provide eyewash stations, quick-drench

# SDS (Safety Data Sheet)

showers and washing facilities accessible to areas of use and handling.

# 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Liquid	Vapor Pressure at 25°C:	0.126mm Hg
Odor:	Slight	Vapor Density:	No data available
Odor Threshold:	No data available	Evaporation Rate:	No data available
Color:	Colorless	Flammability:	Not applicable
Molecular Weight:	No data available	Upper Explosive Limit:	23.5 vol % (360°F)
pH: Boiling Point: Melting/Freezing Point: Relative Density: Partition Coefficient: n- octanol/water:	No data available 384°F (196°C) No data available 0.985 - 0.991 -0.54. Accumulation in organisms is not expected	Lower Explosive Limit: Flash Point: Specific Gravity: Water Solubility: Auto-Ignition Temperature:	1.2 vol % (275°F) 201°F (94°C) No data available No data available 399°F (204°C)
Dynamic Viscosity at 20°C:	4.4 mPa.s	Decomposition Temperature:	No data available
Oxidizing Properties:	No data available	Explosive Properties:	No data available

# 10 STABILITY AND REACTIVITY

Reactivity:	The product is non-reactive under normal conditions of use, storage and transport.
Chemical Stability:	Stable under normal conditions.
Hazardous Polymerization:	No data available.
Conditions to Avoid:	None under recommended storage and handling conditions (see section 7).
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not
Possible Hazardous Reactions:	be produced. No dangerous reactions known under normal conditions of use.

## 11 TOXICOLOGICAL INFORMATION

Acute Toxicity: Skin: Component:	No data available. Not classified (Based on available data, the classification criteria are not met).
Ethoxydiglycol (111-90-0):	(Rabbit, dermal) LD50 9143 mg/kg bodyweight; Source: European Chemicals Agency, http://echa.europa.eu/; (OECD 402 method).
Eyes:	Slightly irritating to rabbits on ocular application. Slightly irritant but not relevant for classification; (OECD 405 method).
Inhalation: Component:	Not classified (Based on available data, the classification criteria are not met).
Ethoxydiglycol (111-90-0):	(Rat, Inhalation) LC50: 0.025 g/m <sup>3</sup> ; Source: European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a> ; 8 hours.
Ingestion: Component:	Not classified (Based on available data, the classification criteria are not met).
Ethoxydiglycol (111-90-0):	<pre>(Rat, Oral) LD50 &gt; 5000 mg/kg; OECD 401 method). (Mouse, Oral) LD50: 6.031 g/kg; Source: European Chemicals Agency, <u>http://echa.europa.eu/;</u> (OECD 401 method).</pre>
Carcinogenicity:	Not classified (Based on lack of available data, it is not possible to provide classification).
Teratogenicity: Germ Cell Mutagenicity: Embryotoxicity:	No data available. Negative (OECD 471 & 486 method). No data available.
Specific Target Organ Toxicity: Reproductive Toxicity: Component:	Not classified for single or repeated exposure. Not classified.
Ethoxydiglycol (111-90-0):	(Animal, Male/Female, F0/P) NOAEL: 2200 mg/kg bodyweight (OECD 416 method). (Animal, Male, F1) NOAEL: 2200 mg/kg (OECD 416 method). (Animal, Female, F1) NOAEL 2200 mg/kg (OECD 416 method). Source: European Chemicals Agency, http://echa.europa.eu
Aspiration Hazard:	Not classified.

Skin Corrosion/Irritation:	Not irritating when applied to human skin.
Respiratory/Skin Sensitization:	Not classified (Based on available data, the classification criteria are not met).

### 12 ECOLOGICAL INFORMATION

Ecotoxicity:	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified for short-term acute hazards to the aquatic environment or long-term chronic hazard to the aquatic environment.
Aquatic Vertebrate:	(Ictalurus punctatus [1]) LC50 ≈ 6010 mg/l; Source: European Chemicals Agency, http://echa.europa.eu/; (OECD 203 method).
Aquatic Invertebrate:	(Daphnia magna [1]) EC50 1982 mg/l; Source: European Chemicals Agency, http://echa.europa.eu/; (OECD 202 method).
Terrestrial:	(Pseudokirchneriella subcapitata [1]) EC50 72 hours; 14861 mg/l; Source: European Chemicals Agency, <u>http://echa.europa.eu/</u> ; (OECD 201 method).
Persistence and Degradability:	Readily biodegradable. 100% BOD16=100%; Source: European Chemicals Agency, http://echa.europa.eu/
Partition coefficient n- octanol/water (Log Kow): Bioaccumulative Potential: Mobility in Soil: PBT and vPvB Assessment:	-0.54 Based on the n-octanol/water partition coefficient accumulation in organisms is not expected. Accumulation in organisms is not to be expected. No data available. This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.
Other Adverse Effects:	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII. No data available.

## 13 DISPOSAL CONSIDERATIONS

Waste Residues:	Users should review their operations in terms of the applicable federal/national or local regulations and
Product Containers:	consult with appropriate regulatory agencies, if necessary, before disposing of waste product. Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies, if necessary, before disposing of waste product container.

The information in section 13 is for the product as shipped. Use and/or alterations to the product may change the characteristics of the material and alter the waste classification and proper disposal methods

Not regulated. No data available. Not regulated. Not regulated. Not regulated. Not regulated.

### 14 TRANSPORT INFORMATION

DOT (Dept. of Transportation, USA):
TDG (Transportation of Dangerous Goods, Canada):
IMDG (International Maritime Dangerous Goods):
IATA (International Air Transport Association):
ICAO (International Civil Aviation Organization):
ADR/RID/ADN (Road, Rail, & Water Transportation):

# 15 REGULATORY INFORMATION

TSCA Inventory Status:	No data available.
REACH Annex XVII:	Not listed on REACH Annex XVII (Restriction List).
REACH Annex XIV:	Not listed on REACH Annex XIV (Authorization List).
REACH Candidate List (SVHC):	Not listed on the REACH Candidate List.
PIC Regulation:	Not listed on the PIC (Prior Informed Consent) list (Regulation EU 649/2012).
POP Regulation:	Not listed on the POP (Persistent Organic Pollutants) list (Regulation EU 2019/1021).
Ozone Regulation:	Not listed on the Ozone Depletion list (Regulation EU 1005/2009).
Explosives Precursors	Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the
Regulation:	marketing and use of explosives precursors).
Drug Precursors Regulation:	Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).
Chemical Safety Assessment:	No chemical safety assessment has been carried out.



Canada (DSL):	No data available.
EU (EINECS):	No data available.
China (IECSC):	No data available.
Australia (AIĆS):	No data available.
Japan (ENCS):	No data available.
Philippines (PICC	S): No data available.
16 OTHER INFC	RMATION
Additional	BOD: Biochemical oxygen demand.
Abbreviations:	LC50: Median lethal concentration.
	LD50: Median lethal dose.
	EC50: Median effective concentration.
	NOAEL: No-Observed Adverse Effect Level.
	OECD: Organization for Economic Co-operation and Development.
Revision Date:	21-Oct-2024
Compliance:	This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200
Disclaimer:	This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitableness & completeness of such information for his own particular use.