

Signature Mineral Base MS

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / March 26, 2012 / Rules and Regulation

Revision Date: 11-10-2017 Supersedes: None

1 PRODUCT & COMPANY IDENTIFICATION

Product Name: Signature Mineral Base MS

Synonyms: **INCI Name:**

Mica, titanium dioxide, zinc oxide, magnesium

stearate, silica

CAS Number: 12001-26-2, 13463-67-7, 1314-13-2, 557-04-0,

60676-86-0

Formula: n/a Product Form:

Powder Product Use: Cosmetic use Distributor: Address:

MakingCosmetics.com Inc. 10800 231st Way NE

Redmond, WA 98053 (USA)

Phone / Fax: 425-292-9502 / 425-292-9601 Web: www.makingcosmetics.com

Emergency Telephone Number: 1-800-424-9300 (Chemtrec)

HAZARDS IDENTIFICATION

GHS Classification: Skin irritation (category 3), carcinogenicity (category 2)

GHS Signal Word: DANGER

GHS Hazard Pictograms:

GHS Hazard Statements: H319: Causes serious eye irritation

H335: May cause respiratory irritation

H372: Causes damage to organs through prolonged or repeated exposure

H410: Very toxic to aquatic life with long lasting effects P501: Dispose in accordance with local disposal regulations

GHS Precautionary Statements:

Potential Health Hazards:

Eves:

Can cause irritation, tearing and mild temporary pain.

Inhalation: Dust is non-toxic if inhaled, except of a few reported cases of metal fume fever. Some

workers develop a tolerance after repeated daily exposure to zinc oxide fume. This

tolerance is lost after short periods away from work.

Skin: May cause skin irritation

Ingestion: May cause vomiting, nausea, thirst, diarrhea and abdominal pain.

NFPA Ratings (704):

Moderate Health 2 **Flammability** 1 Slight Reactivity 0 Minimal Specific Hazard ₩ Use no water

COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	CAS No.	Weight %	Molecular Weight
Mica	12001-26-2	n/a	
Zinc Oxide	1314-13-2	n/a	81.38 g/mol
Titanium Dioxide	13463-67-7	n/a	79.87 g/mol
Magnesium Stearate	557-04-0	n/a	
Silica	60676-86-0	n/a	

FIRST AID MEASURES

Eyes: In case of eye contact, rinse with plenty of water and seek medical attention if necessary

Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give artificial Inhalation:

respiration. Get medical attention if necessary.

Skin: Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and wash



using soap. Get medical attention if necessary

Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If conscious, wash out mouth Ingestion:

with water. Get medical attention if necessary.

FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Special protective equipment & precautions for firefighters:

Specific hazards:

Product is not flammable. Use appropriate media for adjacent fire. Cool unopened containers

with water.

Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots.

Emits toxic fumes under fire conditions. See also Stability and Reactivity section.

ACCIDENTAL RELEASE MEASURES

Personal precautions: **Environmental precautions:**

Methods and material for containment and cleaning up: See section 8 for recommendations on the use of personal protective equipment.

Prevent spillage from entering drains. Any release to the environment may be subject to

federal/national or local reporting requirements

Pick up and arrange disposal without creating dust. Sweep up and place in suitable, closed containers for disposal. Clean surfaces thoroughly with water to remove residual

contamination. Dispose of all waste and cleanup materials in accordance with regulations

HANDLING & STORAGE

Safe handling: See section 8 for recommendations on the use of personal protective equipment. Use with adequate

ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of dusts.

Safe storage: Store in cool, dry well ventilated area. Keep away from incompatible materials.

EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Component</u>	Exposure Limits	<u>Basis</u>	<u>Entity</u>
Mica	3 mg/m^3	TWA	ACGIH
	3 mg/m ³	REL	NIOSH/GUIDE
	3 mg/m ³	TWA	Z1A
Zinc Oxide	2.0 mg/m³ -total dust	TWA	ACGIH
Zinc Oxide	10.0 mg/m³ - total dust	STEL	ACGIH
Zinc Oxide	5.0 mg/m ³ - TWA respirable fraction	PEL	OSHA
Zinc Oxide	15.0 mg/m³ - TWA total dust	PEL	OSHA
Zinc Oxide	5.0 mg/m ³ - TWA fume	PEL	OSHA
Zinc Oxide	10.0 mg/m³ - STEL fume	PEL	OSHA
Zinc Oxide	5.0 mg/m³ - total dust	REL	NIOSH
Zinc Oxide	15.0 mg/m³ - 15min ceiling	REL	NIOSH
Titanium Dioxide	10 mg/m ³	TLV	ACGIH
	15 mg/m³ (total dust)	PEL	OSHA
Silica	20 mppcf (80 mg/m3/%SiO2)	TWA (PEL)	ACGIH
	6 mg/m3 (amorphous)	TWA	OSHA
	3000 mg/m3 (amorphous)	IDLH	NIOSH
TWA: Time Weighted Average over 8 hours of work.		STEL: Short Term Exposure Limit during x minutes.	

TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit

IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Personal Protection:

Eyes: Wear chemical safety glasses or goggles.

Inhalation: Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.

Wear nitrile or rubber gloves, apron or lab coat. Skin:

Other: Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling

PHYSICAL AND CHEMICAL PROPERTIES

Appearance, Physical State: Powdered solid Vapor Pressure: Not applicable



Vapor Density: Not applicable Odor: Odorless Taste: **Tasteless Evaporation Rate:** Not applicable Flash Point: Not flammable Color: White Specific Gravity: Not available Molecular Weight: Not available Not available Solubility: Insoluble in water рΗ

Not available **Boiling Point:** Melting Point: Not available

10 STABILITY AND REACTIVITY

Reactivity: Product is stable Chemical Stability: Product is stable Possibility of Hazardous Reactions: Will not occur Conditions to Avoid: Not available

Hazardous Decomposition Products:

Incompatible Materials:

Zinc oxide and chlorinated rubber react violently at 215°C. Contact with magnesium and linseed oil can cause violent reaction. Contact with strong acids may cause vigorous reaction. Contact with strong bases will form water and soluble zincates. Contact between zinc oxide and hydrogen fluoride, aluminum and hexachloroethane, zinc chloride or

phosphoric acid, and water should be avoided.

TOXICOLOGICAL INFORMATION

Acute Toxicity (LD50, Zinc oxide): 240 mg/kg (intraperitoneal, rat), >8.4g/kg (oral, rat)

Carcinogenicity: Not classified as carcinogenic material

Teratogenicity: Zinc oxide at 2 to 38 mg/day had no effect on reproduction Mutagenicity: Zinc components have not been active in genetics assays

Embryotoxicity: Not available Specific Target Organ Toxicity: Not available Reproductive Toxicity: Not available

ECOLOGICAL INFORMATION

Ecotoxicity (zinc oxide): It is very toxic to aquatic organisms. Since it take a very long time for zinc oxide to break down,

it may cause adverse long-term effects in the aquatic environment.

Persistence and Degradability: Not available Bioaccumulative Potential: Not available Mobility in Soil: Not available PBT and vPvB Assessment: Not available Other Adverse Effects: Not available

DISPOSAL CONSIDERATIONS

Waste Residues: Users should review their operations in terms of the applicable federal/national or local regulations and

consult with appropriate regulatory agencies if necessary before disposing of waste product container. **Product Containers:** Users should review their operations in terms of the applicable federal/national or local regulations and

consult with appropriate regulatory agencies if necessary before disposing of waste product container.

The information in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods

14 TRANSPORT INFORMATION

DOT (Dept. of Transportation, USA): Not regulated TDG (Transportation of Dangerous Goods, Canada): Not regulated

IMDG (International Maritime Dangerous Goods): Number UN3077, hazard class 9 IATA (International Air Transport Association): Number UN3077, hazard class 9

ICAO (International Civil Aviation Organization): Not regulated



15 REGULATORY INFORMATION

TSCA Inventory Status: All ingredients are listed on the TSCA inventory

DSCL (EEC): EC # 215-222-5
SARA 311/312: Listed (acute)
SARA 313: Compounds: Zn, Pb

U.S. EPA: Reg. No. 71645-3, PC Code: 088502

U.S. TRI: Reproductive Toxin - Yes, Development Toxin - Yes

16 OTHER INFORMATION

Revision Date: 11-10-2017

Compliance: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication

Standard 29 CFR 1910.1200

Disclaimer: This information relates only to the specific material designated and may not be valid for such material used in

combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It

is the user's responsibility to satisfy himself as to the suitableness α completeness of such information for his

own particular use.