

Certificate of Analysis**(Representative Sample Certificate)**

Product Name: Beta Glucan
INCI Name: Beta Glucan, water, glycerin
CAS Number: 53238-80-5, 7732-18-5, 56-81-5, 6920-22-5, 5343-92-0
Lot Number: Not available (data may vary slightly with different lots or batches)
Expiration Date: 24 months from production date

Analytical Tests	Specification	Result
Appearance @25°C	Colorless to light yellow viscous solution, subtle characteristic odor	Pass
pH	6.0 - 8.0	6.64
Viscosity, cps	340.0 - 410.0	370
Microbial Plate Count	<100 CFU/g	Pass
Arsenic, ppm	2.0 Maximum	Pass
Heavy Metals, ppm	20 Maximum	Pass

The above data were obtained using the test indicated and is subject to the deviation inherent in the test method. Results may vary under other test methods or conditions.

This report is not to be signed.

Disclaimer: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy themselves as to the suitability & completeness of such information for their own particular use.